DOOR SCHEDULE

MARK	SIZE	TYPE	NUMBER	FRAME	REMARKS
A	5'-8" x 7'-0"	H.M.I.D.*	1-3870 G2	H.M.**	Ceco all steel, or equal
B	5'-0" x 7'-0"	do	1-3070 G2	do	do
C	3'-0" x 7'-0"	do	1-3070 G2	do	do
D	3'-8" x 7'-0"	do	1-3870 G4	do	do
E	2'-6" x 7'-0"	do	1-2670 G2	do	Obscure Glass do
F	2'-8" x 6'-8"	do	1-2868 G2	do	Ceco all steel, or equal
G	2'-8" x 6'-8"	do	1-2868 M2	do	do

* Hollow Metal Industrial Door
** Hollow Metal

Remove these walls 18" below finished grade and fill.

Remove these walls 18" below finished grade and fill.

4" Brick Veneer. See Sections. No. 9 Dowels (Bent) shall be grouted 8" into existing concrete walls @ 2'-0" ctrs. for story 5th brick course above ramp floor.

Ramp down - 16%

Elev. 278.50

Elev. 277.25

Pit Gr.

3'-0"

45'-4"

4" Brick Veneer

Ramp up + 16%

Elev. 277.25

1" Pipe Railing

Remove existing basin walls to elevation 278.50. Bend sufficient existing wall steel to securely anchor new concrete cap.

Elev. 279.00

Pit Gr.

18'-0"

11'-10"

Brick to details - see note sheet

6"@ 4" Wire Mesh

Elev. 265.25

Compacted Fill

SECTION A-A.

Scale: 3/8" = 1'-0"

Elev. 279.00

Pit Gr.

6"@ 4" Wire Mesh

Elev. 278.50

Compacted Fill

SECTION B-B.

Scale: 3/8" = 1'-0"

Elev. 279.00

6"@ 4" Wire Mesh

Elev. 278.50

Pit Gr.

Compacted Fill

SECTION C-C.

Scale: 3/8" = 1'-0"

Cut Grating and Frame to Fit Opening

12" Exhaust Fan

Elev. 280.25

CHLORINE STORAGE

Fl. Elev. 280.75

12'-6"

Fl. Elev.

Filter No. 3

Filter No. 2

Filter No. 1

Pipe Gallery (See Detail Dwg. 26C13 (2nd Sheet))

Filter No. 6

Filter No. 5

Filter No. 4

12'-0"

43'-10"

FIRST FLOOR PLAN

Scale: 1/4" = 1'-0"

Existing 14" C.I. Raw Water

New 14" Elbow

New 6'-0" Manhole

Cut Grating and Frame to Fit Opening

Finished Floor Elevation 280.25

Finished Floor Elevation 280.25

Finished Floor Elev. 280.25

Concrete Fill

Concrete Fill

Boiler Oakfield 500 M.B.H.

Remove Stack

BOILER ROOM

Fl. Elev. 280.25

Existing Boiler

Fl. Elev.

Storage

Existing Water Softener

Existing 6" Cast Iron Water Line

Motor-Driven Service Pump 100 G.P.M.

Existing Cast Iron Water Line

Existing Cast Iron Tee - Plug

Install Electric Motor to Existing Pump

Replace this Pump?

w/ Motor Driven Booster Pump 2000 G.P.M.

Diesel-driven Standby 350 G.P.M.

Floor Elev. 271.25

Proposed - Do not include in the Bid Price.

Finish Grade Elevation 278.50

Note: Foundation size approximate. (Assume) Detailed Foundation plan & size furnished when unit is selected.

Existing 14" Cast Iron Water Line

Existing 14" Gate Valve

Existing Cast Iron Tee

Existing Cast Iron Water Line

Existing Cast Iron Water Line

Existing 14" Gate Valve

Existing Cast Iron Water Line

Existing Cast Iron Water Line

Existing Cast Iron Water Line















WINDOW SCHEDULE



OPERATING FLOOR PLAN

Scale: ¼" = 1'-0"

NOTE: New Work Shown Shaded.

REV.	DATE	DESCRIPTION	BY
2	5-2-55	Window Schedule Added	WH
1	5-2-55	General Revisions Clarification Earlier	WH

CITY OF SANFORD
NORTH CAROLINA

WATER FILTRATION PLANT
OPERATING FLOOR PLAN

WM. F. FREEMAN, INCORPORATED
ENGINEERS AND ARCHITECTS
HIGH POINT, NORTH CAROLINA

SCALE	DESIGNED WHS	SHEET NO
Indicated	DRAWN WHS	6
JOB NO.	CHECKED FA	
B-601	APPROVED WFF DATE 1/18/55	OF 21



THIRD FLOOR
Scale 1/4" = 1'-0"



F.S. DBT. STUD AND PANELS FOR 3RD FLOOR PARTITION
Scale full size



PRE-CAST CONC. COPING FOR THIRD FLOOR ONLY
APPROX 195 L.F. REQD.



SECTION OF TYPICAL CAST ABRASIVE TREAD
Scale 3" = 1'-0"



SECTION THRU STAIRS
Scale 3/4" = 1'-0"



ROOF PLAN
Scale 1/16" = 1'-0"

NO. REV.	DATE	DESCRIPTION	BY
1.	5-3-55	General Revisions Clarification Section	WF

CITY OF SANFORD
NORTH CAROLINA
WATER FILTRATION PLANT
THIRD FLOOR & ROOF PLAN

WM. F. FREEMAN, INCORPORATED
ENGINEERS AND ARCHITECTS
HIGH POINT, NORTH CAROLINA

SCALE Indicated	DESIGNED	SHEET NO. 7
JOB NO. 8-54X	DRAWN J	
APPROVED	CHECKED	OF 21
	DATE	

FILTER No. 3 (Existing)

FILTER No. 2 (Existing)

FILTER No. 1 (Existing)

Existing 12" Waste to remain

Existing 16" Wash Water Relocate

16" C.I. Waste

16" Filter Effluent

12" Wash Water

12" Waste

Existing 18" Filter Effluent - Remove

Existing 12" Water Line See Detail 10 for Crossing Permit

Plug

Plug

Plug

REMOVE EXIST. WALL

Remove this line and plug riser

Valves to remain

Abandon this line

FILTER No. 6

FILTER No. 5

FILTER No. 4

11'-4"

This pipe to remain

New 16" C.I. Filter Effluent

Existing 16" C.I. Clear Water Line to remain

45'-10"

14'-0"

10'-10"

2'-7"

Abandon this line and top up

To Clearwell

From Clearwell

Existing 6" C.I. Elev. 962.82

Blind Flange

16" x 12" Sleeve

16" C.I.

FILTER FOUNDATION PLAN

Scale: 3/8" = 1'-0"

Existing Lines

New Lines

New Construction

NOTE: All pipe taken up by this contractor and not used in this construction shall remain the property of the City.

NOTE: New Construction shown shaded.

Water Level Elev. 976.25

Top of Sand Elev. 972.83

Elev. 969.62

Elev. 968.75

41"

27"

12"

Sand

Graded Gravel

Collecting Trough 18" x 16"

All Piping will be as shown on Sheets 8 & 9 and other appurtenances

SECTION THRU FILTERS

SHOWING

LEOPOLD FILTER BOTTOM

Scale: 3/4" = 1'-0"

NOTE: Bottoms shall be installed in accordance with Manufacturers recommendation and shall be of the Compound Duplex Filter Bottom Type of salt-glazed, vitrified, de-aired fire clay as manufactured by F.B. Leopold Co.

REV.	DATE	DESCRIPTION	BY
1	5-1-55	Eliminated 12" Pg. in Line (2) 12" C.I. (2) Valves Ad.	J.

CITY OF SANFORD

NORTH CAROLINA

WATER FILTRATION PLANT

FILTER DETAILS

WM. F. FREEMAN, INCORPORATED
ENGINEERS AND ARCHITECTS
HIGH POINT, NORTH CAROLINA

SCALE Indicated	DESIGNED W.F.S. Feb. 1955		SHEET NO. 8
JOB NO. B-607	DRAWN W.F.S. Feb. 1955		
APPROVED W.F.F.	CHECKED P.A.	DATE 3/14/55	OF 21



GALLERY FLOOR AND FILTER PLAN

Scale: 3/8" = 1'-0"



SECTION THRU FILTERS

Scale: 3/8" = 1'-0"

NOTE / ALL NEW WORK IN SECTION SHOWN THUS

REV.	DATE	DESCRIPTION	BY
1	5-1-55	New 8th Wall Pilaster Specing	J.

CITY OF SANFORD

NORTH CAROLINA

WATER FILTRATION PLANT

FILTER DETAILS

WM. F. FREEMAN, INCORPORATED
ENGINEERS AND ARCHITECTS
HIGH POINT, NORTH CAROLINA

SCALE	Indicated
JOB NO.	
DESIGNED	WHS Jan 1955
DRAWN	WHS Jan 195
CHECKED	
APPROVED	DATE


Existing Floor
Grout
8 WF 28
Exist. Filter Wall
9"x4"x½" x 8' L clip
3 - ¾" Bolts & Shields
BEAM SUPPORT
Scale: 1"=1'-0"
Existing Operating Floor
8" WF 28
1" U-bolts
Conc. front of new filters
Re-set existing 14" Bend & Cover
Existing 14"
Invert 261.75
Gl. 266.08
Gl. 266.23
Bl. 270.75
Bl. 270.08
Bl. 270.08
Bl. 270.08